BEYOND COLOUR IN PRINT

Colour Solutions for Professional Printing

A4	Aa	3.5"	🔒	📶	📱
Up to 30ppm (mono/colour)	**Auto 2-sided Printing**	**Up to 3.5" Customisable Touch Screen LCD**	**Security Function**	**Wireless Connectivity**	**Mobile Printing & Scanning**

Daily documents expressed in incredible hues. Present printouts with vivid accuracy in full detail through Brother's new series of single and multi-functional laser printers.

Designed for the modern office and its workflow, each model in the line-up is crafted with rich utilities and productivity functions that enhance daily operations. Experience colour that is true to life, just as your vision sees it.

Colours That Go Beyond

True To Life

Professional printouts that are vibrantly accurate. Utilising Brother's leading LED technology, colours are crisp and sharp, with gradients being smooth and natural. Reduce the guesswork and excessive reprints as documents produced are as accurate as how you calibrate them on screen.

BRANDING
Concepts
Creative Solution

Fast Prints
On Demand

A4

Up to 30ppm
(mono/colour)

Speed when you need it. Both colour and monochromatic documents print at impressive output speeds on various supported types of media, such as up to 30ppm* for A4 and 31ppm* on letter. Have documents ready in hand on time, as productivity is improved thanks to less time spent waiting.

02

Meet High Volume
Printing Needs

Print so much more at a fraction of the cost for greater value overall. Brother's High Yield consumables offer incredibly efficient print usage rates that reduce the need for frequent replacements. Print costs are averaged out over a longer period of time as well, keeping Total Cost of Ownership (TCO) low.

CARTRIDGES YIELD:

3,000* PAGES ≡ on black** prints

2,300* PAGES ≡ on colour** prints

*For selected models only   **Approximate cartridge yield is declared in accordance with ISO/IEC 19798.

Cost & Resource
Saving Prints

04

Reducing Up To 50% Paper Waste

Print with much less waste. The automatic 2-sided printing* offers up to 50% reduction in paper waste created while printing documents, saving costs in the process.

*For selected models only

Auto 2-sided Printing

Small & Silent

05

Quiet Operations

Print documents with minimal noise using Quiet Mode. Ready Mode also ensures that it operates silently while on standby for a greater peace of mind.

06

Compact-Sized for Flexibility

Experience flexibility with printer placement. The compact size of the printers allows for flexible placement anywhere in your workspaces without taking up too much space, making it easy to integrate it into your workflow for improved productivity.

Secure your documents
with Fuss-free Connectivity

07

Enhanced Sharing
Accessibility

Brother's built-in Wi-Fi and Ethernet provide for an effortless experience in sharing your machine with other users on the same network. Its integrated NFC reader** lets authorised users gain access securely by tapping their NFC card.

08

Connectivity
for Convenience

Access important documents with greater ease. Print and scan your documents from and to mobile devices with ease by using the Brother Mobile Connect application*. Additional intuitive applications like Brother Apps** and WebConnect** also help to create seamless scanning and printing processes.

* The printer and the application must be on the same network to function properly.** For selected models only.

09

Secure Your
Important Documents

Security Function

Maximum security for documents. The Secure Print function provides a built-in solution for important document security that ensures documents retrieved are not read or copied by unauthorised users without the required four-digit PIN. Documents that are not retrieved are automatically deleted, saving costs while being environmentally friendly.

	DCP-L3560CDW	MFC-L3760CDW	MFC-L8390CDW
Key Functions	Print, Scan and Copy	Print, Scan, Copy and Fax	
Description	Colour LED Multi-Function Centre with Wireless Connectivity, Gigabit Ethernet Connectivity, 2-Sided printing and 3.5" touch screen panel.	High productivity Colour LED Multi-Function Centre with Wireless Connectivity, Gigabit Ethernet Connectivity and 2-Sided printing.	High productivity Colour LED Multi-Function Centre with Wireless Connectivity, NFC, Gigabit Ethernet Connectivity and Automatic 2-Sided Printing and Scanning
Print Speed (A4/Letter)	Up to 26/27 ppm	Up to 26/27 ppm	Up to 30/31 ppm
Print Resolution	600 x 600 dpi, 2,400 dpi (600 x 2,400) quality		
First Print Out Time (Ready)	Less than 13.5/13.5 secs (Mono/Colour)		Less than 12.5/12.5 secs (Mono/Colour)
2-Sided Feature	Automatic 2-Sided Printing		Automatic 2-Sided Printing, Scanning, Copying and Faxing

COPY FUNCTIONS

	DCP-L3560CDW	MFC-L3760CDW	MFC-L8390CDW
Copy Speed (A4/Letter)	Up to 26/27 cpm		Up to 30/31 cpm
Copy Resolution	600 x 600 dpi		
Reduction / Enlargement Ratio	25% - 400% in 1% increments		
Copy Features	N in 1		

SCAN FUNCTIONS

	DCP-L3560CDW	MFC-L3760CDW	MFC-L8390CDW
Scan Speed (Mono/Colour) [i]	27/21 ipm (A4) 29/22 ipm (LTR)		
Scan Technology	CIS		Dual CIS
Automatic 2-Sided scanning	-		Yes
Resolution (Optical)	Max 1,200 x 1,200 dpi		
Resolution (Interpolated)	Max. 19,200 x 19,200 dpi		
Scan-to Functions	Sharepoint, E-mail, Image, OCR, File, FTP, Network (Windows Only)	Sharepoint, E-mail, Image, OCR, File, FTP, Network (Windows only), USB	Sharepoint, E-mail, Email Server, Image, OCR, File, FTP, SFTP, Network (Windows only), USB

FAX FUNCTIONS

	DCP-L3560CDW	MFC-L3760CDW	MFC-L8390CDW
Modem Speed	-	33,600 bps (Fax)	
Transmission Speed	-	Approx. 2.5 sec. (ITU-T Test Chart, Standard Resolution, JBIG)	
Memory Transmission/Out-of-paper Reception	-	Up to 500 pages (ITU-T Test Chart, Standard Resolution, JBIG)	
Speed Dial	-	300 locations	
Group Dial	-	20 groups	
Broadcasting	-	350 locations	

CONNECTIVITY/NETWORKING

	DCP-L3560CDW	MFC-L3760CDW	MFC-L8390CDW
Interface	USB 2.0, Gigabit Ethernet (10Base-T/100Base-TX/1000Base-T), Wi-Fi Direct, Wireless LAN (2.4GHz/5.0GHz)		USB 2.0, Gigabit Ethernet (10Base-T/100Base-TX/1000Base-T), Wi-Fi Direct, Wireless LAN (2.4GHz/5.0GHz)
Front USB Direct Print	-	Yes	
Near-Field Connectivity (NFC)	-		Yes (Card Reader/NFC Shortcut)
Mobile Solutions	AirPrint, Mopria and Brother Mobile Connect		
Desktop Solutions	Brother iPrint&Scan		
Brother's Cloud Apps	Yes		
WebConnect	Yes		

PAPER HANDLING

	DCP-L3560CDW	MFC-L3760CDW	MFC-L8390CDW
Input Tray (Standard)	250 Sheets		
Multi-purpose Tray/Manual Slot	1 Sheet		30 Sheets | Envelope: 3 envelopes up to 6mm thick
Output Tray (Face Down)	150 Sheets Face Down (80g/m²) | 1 Sheet Face Up (straight paper path)		
Optional Paper Tray (Input)	-		
Automatic Document Feeder (ADF)	50 Sheets		
Media Weights (Standard Tray/MP Tray)	60 to 163g/m² (16 to 43lb)		
Media Size (Standard Tray)	A4, Letter, Legal, Mexican Legal, India Legal, Executive, A5, A5 Long Edge, A6, JIS B5, A4 Short(270mm), Folio, 16K (195 x 270 mm)		

OTHERS

	DCP-L3560CDW	MFC-L3760CDW	MFC-L8390CDW
Processor Speed	Main: Cortex-A53 800MHz | Sub: ARM946 133MHz		
Memory	512MB		
Display	3.5" TFT Colour LCD		
OS Compability	Windows : Win10, 11 / Server 2012 / 2012R2 / 2016 / 2019 / 2022 Linux : CUPS, LPD/LPRng (x86/x64 environment)		
Utilities & Solutions	BRAdmin Light*, BRAdmin Professional 4*, Web Based Management		
Security Features	Setting Lock, Secure Function Lock, Secure Print, Active Directory, LDAP		
Power Consumption (Printing/Sleep)	Printing: Average: Approx. 560W Sleep mode : Average: Approx. 10W	Printing: Average: Approx. 560W | TWN: Average: Approx. 600W Sleep mode: Average: Approx. 10W | TWN: Average: Approx. 7W	Printing: Average: Approx. 620W Sleep mode: Average: Approx. 10W
Power Source	220-240V | AC 50/60Hz	220-240V | AC 50/60Hz (TWN: 110-120V | AC 50/60Hz)	220-240V | AC 50/60Hz
Noise Level (Printing)	LpAm = 47 dB(A)	LpAm = 47 dB(A)	LpAm = 48 dB(A)

SUPPLIES

	DCP-L3560CDW	MFC-L3760CDW	MFC-L8390CDW
Standard-Yield Toner (TN269)[ii]	BK: Approx. 1,500 pages | CMY: Approx. 1,200 pages		
High-Yield Toner (TN269XL)[1]	BK: Approx. 3,000 pages | CMY: Approx. 2,300 pages		
Drum (DR269CL)	Approx. 20,000 pages (1 page/job) | Approx. 30,000 pages (3 page/job)		

DIMENSIONS & WEIGHT

	DCP-L3560CDW	MFC-L3760CDW	MFC-L8390CDW
Dimension (W X D x H)	410 x 444 x 401 mm	410 x 444 x 401 mm	410 x 462 x 401 mm
Weight w/o Carton, w/ toner/drum	ASA: 20.2 kg, IND: 20.1 kg	ASA: 20.4 kg KOR: 20.2 kg	21.9 kg

	HL-L3240CDW	HL-L3280CDW
Key Functions	Print Only	
Description	High Quality Colour printer with 2-Sided printing, Wireless and Gigabit Ethernet connectivity	High Quality Colour printer with 2-Sided printing, Wireless, Gigabit Ethernet connectivity and 2.7" touch screen panel
Print Speed (A4/Letter)	Up to 26/27 ppm	
Print Resolution	600 x 600 dpi, 2,400 dpi (600 x 2,400) quality	
First Print Out Time (Ready)	Less than 13.5/13.5 secs (Mono/Colour)	
2-Sided Feature	Automatic 2-Sided Printing	
CONNECTIVITY/NETWORKING		
Interface	USB 2.0, Gigabit Ethernet (10Base-T/100Base-TX/1000Base-T), Wi-Fi Direct, Wireless LAN (2.4GHz/5.0GHz)	
Mobile Solutions	AirPrint, Mopria and Mobile Connect App	
Desktop Solutions	Brother iPrint&Scan	
WebConnect	-	Yes
PAPER HANDLING		
Input Tray (Standard)	250 Sheets	
Multi-purpose Tray/Manual Slot	1 Sheet	
Output Tray (Face Down)	150 Sheets Face Down (80g/m²) | 1 Sheet Face Up (straight paper path)	
Media Weights (Standard Tray/MP Tray)	60 to 163g/m² (16 to 43lb)	
Media Size (Standard Tray)	A4, Letter, Legal, Mexican Legal, India Legal, Executive, A5, A5 Long Edge, A6, JIS B5, A4 Short (270mm), Folio, 16K (195x270mm)	
OTHERS		
Processor Speed	MAIN: Cortex-A53 800MHz Sub: ARM946 133MHz	
Memory	256MB	
Display	16 characters x 1 line	2.7" TFT ColourLCD (68cm/67.5mm)
OS Compatibility	Windows : Win10, 11 / Server 2012 / 2012R2 / 2016 / 2019 / 2022 Linux : CUPS, LPD/LPRng (x86/x64 environment)	
Utilities & Solutions	BRAdmin Light*, BRAdmin Professional 4*, Web Based Management	
Security Features	Setting Lock, Secure Function Lock, Secure Print	Setting Lock, Secure Function Lock, Secure Print, Active Directory, LDAP
Power Consumption (Printing/Sleep)	Printing: Average: Approx. 520W Sleep mode: Average: Approx. 10W	Printing: Average: Approx. 520W TWN: Average: Approx. 590W Sleep mode: Average: Approx. 10W
Power Source	220-240 V AC 50 / 60Hz	220-240 V | AC 50/60Hz (TWN: 110-120V | AC 50/60 Hz)
Noise Level (Printing)	LpAm = 47 dB(A)	
SUPPLIES		
Standard-Yield Toner (TN269)ⁱⁱ	BK: Approx. 1,500 pages CMY: Approx. 1,200 pages	
High-Yield Toner (TN269XL)ⁱⁱ	BK: Approx. 3,000 pages CMY: Approx. 2,300 pages	
Drum (DR269CL)	Approx. 20,000 pages (1 page/job) Approx. 30,000 pages (3 page/job)	
DIMENSIONS & WEIGHT		
Dimension (W X D x H)	399 x 399 x 239 mm	399 x 399 x 274 mm
Weight w/o Carton, w/ Toner/Drum	15.4 kg	15.6 kg

*For Window by download only ⁱ In accordance with ISO/IEC17991ⁱⁱ In accordance with ISO/IEC 19798

Brother Earth
Working with you for a better environment
www.brotherearth.com

BROTHER CREATIVECENTRE
One-stop centre for free downloadable templates

Brother strongly recommends the use of genuine Brother consumable products only. Benefits include better quality print, greater yields per consumable, protection of your machine from damages and achievement of optimum performance. As a precaution, please note that your machine warranty may not cover any damages arising from the use of non-genuine consumables.

www.brother.com.sg